

Perspective - Cover Image



Rear Perspective - Cover Image

**Stretch Shapes**<sup>®</sup>  
SOLUTIONS FROM FABRICS THAT STRETCH

1265 S. Bertelsen Rd Ste.5  
Eugene, OR 97402 USA  
T - 1.888.359.5067  
F - 1.541.255.2415  
info@stretchshapes.net

# VISUAL USER GUIDE


**Truss Wrap Screen**  
**Generic Installation Guide**

# C1

Last Updated: 9/1/2023


1

Assemble your desired truss structure, adhering to design spec and the most strict truss safety standards. Establish a clean working surface to protect the fabric cover. A drop cloth, plastic sheet or clean carpeted floors all work well for this.



2

Loosely drape the fabric of your pillowcase truss banner over your constructed truss.



**Stretch Shapes**<sup>®</sup>  
SOLUTIONS FROM FABRICS THAT STRETCH



1265 S. Bertelsen Rd Ste.5  
Eugene, OR 97402 USA  
T - 1.888.359.5067  
F - 1.541.255.2415  
info@stretchshapes.net

**VISUAL USER GUIDE**  
Truss Wrap Screen  
Generic Installation Guide

**S1**  
Last Updated: 9/1/2023

3


Wrap the fabric cover around the truss structure. Using the provided cable ties, attach the corner rigging points and a few along each edge to hold the cover loosely in place.



Perspective Detail - Rigging Tab

4

Attach the the remaining rigging points to the truss with the provided cable ties. Adjust the fabric to fit and remove any wrinkles.



Perspective - Rear

**Stretch Shapes**<sup>®</sup>  
SOLUTIONS FROM FABRICS THAT STRETCH

1265 S. Bertelsen Rd Ste.5  
Eugene, OR 97402 USA  
T - 1.888.359.5067  
F - 1.541.255.2415  
info@stretchshapes.net

# VISUAL USER GUIDE

Truss Wrap Screen  
Generic Installation Guide



# S2

Last Updated: 9/1/2023

1a

In some cases, your fabric cover may have its structure ground supported, which modifies the finishing design.

Apply stick-on acrylic hook around the base of the structure.  
This will provide a surface for the truss wrap to adhere to on the bottom edge.




Sub Detail - Base with Hook Marking

Perspective View - Front

Note:  
If horizontal truss is not present,  
use of pipe, lumber or other  
structural building material can  
be used to create a surface for  
the acrylic hook to adhere to.



2a

Loosely drape the fabric of your pillowcase truss banner over your constructed truss.  
Take note that covers that are ground supported may have a sewn-on loop edge around the bottom edge



3a


Wrap the fabric cover around the truss structure. Using the provided cable ties, attach the corner rigging points and a few along each edge to hold the cover loosely in place.  
Attach the hook+loop enclosure along the bottom edge of the fabric wrap (tagged B).



Perspective Detail - Rigging Tab

4a

Attach the the remaining rigging points to the truss with the provided cable ties.  
Adjust the fabric to fit and remove any wrinkles.



Perspective - Rear

**Stretch Shapes**®  
SOLUTIONS FROM FABRICS THAT STRETCH

1265 S. Bertelsen Rd Ste.5  
Eugene, OR 97402 USA  
T - 1.888.359.5067  
F - 1.541.255.2415  
info@stretchshapes.net

# VISUAL USER GUIDE

Truss Wrap Screen  
Generic Installation Guide

# S4

Last Updated: 9/1/2023